Anfim
MILANO



ALBA GbW & LUNA GbW

Professional Espresso Grinders with Grind-by-Weight Technology

Great Coffee. Down to the Gram.



For the love of great coffee.

Alba and Luna. Proven performance, now with Grind-by-Weight.

Once you've dialled in your espresso, you want to keep serving it that way. Alba GbW and Luna GbW add integrated Grind-by-Weight dosing to two established Anfim grinders, helping your team keep the amount of coffee consistent throughout the day.

Made in Milan, both models combine automatic portafilter detection with clear touchscreen controls. Choose the grinding output that fits your café, with weight-based dosing on both.

Grind-by-Weight

Great coffee. On repeat.



Integrated Grind-by-Weight weighs ground coffee as it enters the portafilter and doses to the weight you set. Keeping the amount of coffee consistent gives you a reliable starting point for repeating the espresso you've dialled in.

Weighing is part of grinding.

6,000×
Weight measurements per second

2
Saved portafilters automatically recognised

3.5-inch
Intuitive touchscreen



Which grinder fits your café?

Both models offer Grind-by-Weight, automatic portafilter detection and clear touchscreen controls. Choose the grinding output that fits your coffee shop.

Alba GbW

Higher output. Ready for the rush.

For high-volume commercial coffee shops grinding up to 25 kg a day. Alba GbW combines 80 mm flat burrs with higher grinding output than Luna GbW, shortening the wait for the next dose during busy service.

Luna GbW

Your daily espresso grinder..

For commercial coffee shops grinding up to 8 kg a day. Luna GbW pairs 65 mm flat burrs with the same core Grind-by-Weight technology as Alba GbW, in a grinder made for daily espresso service.



Easy Load Cell Replacement

Easy access. Simple replacement.

The load cell is accessible and uses a plug-and-play connection. When it needs replacing, the design makes the job straightforward and helps limit time out of service.

Automatic Portafilter Detection

Portafilter in.
Weight set.

The grinder recognises up to two saved portafilters and selects the target weight assigned to each one. Switch between them without selecting the weight again on screen.

Italian Engineering & Manufacturing

Made in Milan.
Ready for the world.

Designed and manufactured in Milan, Alba GbW and Luna GbW draw on Anfim's experience in professional espresso grinding. Easy to operate and straightforward to service, they are built for the daily work of a commercial coffee bar.

Crafted with passion.
Built for everyday performance.

Intuitive User Interface

Clear information.
Simple control.

The 3.5-inch touchscreen puts grinding information and real-time dosing feedback in clear view. The controls are easy to follow, whether you know the grinder well or are using it for the first time.

ALBA GbW

PROFESSIONAL GRINDER | **MACINACAFFÈ PROFESSIONALE**

TECHNICAL DATA	**DATI TECNICI**	
Voltage / Frequency / Phase	Tensione / Frequenza / Fase	220-240V, 50/60 Hz, 1~ 110-127V, 60 Hz, 1~ 100V, 50/60 Hz, 1~
Max. nominal power (220-240V)	Max. Potenza nominale (220-240V)	50 Hz: 700 W 60 Hz: 800 W
RPM	Giri motore	1500 rpm (50 Hz) 1800 rpm (60 Hz)
Grinding capacity	Capacità macinazione	~5,6 g/s @ 250 µm (50 Hz) ~6,4 g/s @ 250 µm (60 Hz)
Burr grind life (median setting)	Durata del macine (impostazione mediana)	1500 kg
Grinding time for single espresso	Tempo di macinazione per espresso singolo	~1,3 s

EQUIPMENT FEATURES	**CARATTERISTICHE TECNICHE**
Proven Grind-by-Weight technology	Tecnologia Grind-by-Weight collaudata
Innovative 3.5 inch touch display	Innovativo display da 3.5 pollici
4 programmable recipes	4 possibili programmi da impostare
Removable /magnetic tray	Vassoio raccogli caffè magnetico e rimuovibile
Adjustable and easily removable spout	Beccuccio regolabile e facilmente estraibile

Ø 80 mm
Special steel
Acciaio speciale

2.0 kg

210 x 620 x 386 mm

13.0 kg **Net** Netto
14.5 kg **Gross** Lordo

CERTIFICATIONS **CERTIFICAZIONI**

Conforms to Conforme a
IEC/EN 60335-1; IEC/EN 60335-2-64
Certified to Certificazione
UL 763; CSA C22.2 No. 195; NSF/ANSI 8

COLOR OPTIONS **ALTRI COLORI SU RICHIESTA**

Black, White
Other colors on request

Nero, Bianco
Altri colori su richiesta



LUNA GbW

PROFESSIONAL GRINDER | **MACINACAFFÈ PROFESSIONALE**

TECHNICAL DATA	**DATI TECNICI**	
Voltage / Frequency / Phase	Tensione / Frequenza / Fase	220-240V, 50/60 Hz, 1~ 110-127V, 60 Hz, 1~ 100V, 50/60 Hz, 1~
Max. nominal power (220-240V)	Max. Potenza nominale (220-240V)	50 Hz: 440 W 60 Hz: 530 W
RPM	Giri motore	1500 rpm (50 Hz) 1800 rpm (60 Hz)
Grinding capacity	Capacità macinazione	~2,8 g/s @ 250 µm (50 Hz) ~3,6 g/s @ 250 µm (60 Hz)
Burr grind life (median setting)	Durata del macine (impostazione mediana)	approx. ca. 800 kg
Grinding time for single espresso	Tempo di macinazione per espresso singolo	~2,5 s

EQUIPMENT FEATURES	**CARATTERISTICHE TECNICHE**
Proven Grind-by-Weight technology	Tecnologia Grind-by-Weight collaudata
Innovative 3.5 inch touch display	Innovativo display da 3.5 pollici
4 programmable recipes	4 possibili programmi da impostare
Removable /magnetic tray	Vassoio raccogli caffè magnetico e rimuovibile
Adjustable and easily removable spout	Beccuccio regolabile e facilmente estraibile

Ø 65 mm
Special steel
Acciaio speciale

2.0 kg

195 x 580 x 371 mm

11.2 kg **Net** Netto
12.7 kg **Gross** Lordo

CERTIFICATIONS **CERTIFICAZIONI**

Conforms to Conforme a
IEC/EN 60335-1; IEC/EN 60335-2-64
Certified to Certificazione
UL 763; CSA C22.2 No. 195; NSF/ANSI 8

COLOR OPTIONS **ALTRI COLORI SU RICHIESTA**

Black, White
Other colors on request

Nero, Bianco
Altri colori su richiesta

